



Dated: 01-03-2019

CORRIGENDUM

With reference to tender AIIMS/Pat/Tender/PC/PPP/Dialysis/2018/12693 dated 18/02/2019 tender for Establishment of Dialysis Centre at AIIMS Patna under PPP Mode, pre-bid meeting was held on 23-02-2019 at 12:00 PM in conference hall main building AIIMS Patna. The following corrigendum to be issued:-

Page No	Specification as per original tender	Revised specifications Should be read as
Page No. 3 Clause 3	The service provider would be allotted a space of 600 sq. ft. (Within the building/ Open space Within the premises of AIIMS Patna with a capacity to run 10 dialysis machines (@ 120 sq. ft. per machine) free of cost and the service provider shall make complete arrangements to make the dialysis facility operational and provide round the clock services (24X7) (should factor all required infrastructure, including renovation, modification of infrastructure, HR like technicians etc.), supportive infrastructure, dialyzer, dialysis fluid, operational and maintenance cost for the project. A Possession Certificate in plain paper shall be issued while handing over the above mentioned space.	The service provider would be allotted a space of 1200 sq. ft. (Within the premises of AIIMS Patna with a capacity to run 10 dialysis machines (@ 120 sq. ft. per machine) free of cost. Sufficient additional space will be provided for reprocessing, storage and office. The service provider shall make complete arrangements to make the dialysis facility operational and provide round the clock services (24X7) (should factor all required infrastructure, including renovation, modification of infrastructure, HR like technicians etc.), supportive infrastructure, dialyzer, dialysis fluid, operational and maintenance cost for the project. A Possession Certificate in plain paper shall be issued while handing over the above mentioned space.
Page No. 3 Clause 7	The service provider should be able to move the dialysis machine to other clinical areas like ICU within the AIIMS premises ask when needed. Electricity & water supply will be the responsibility of AIIMS Patna and no additional charges shall be applied on the service provider for the same. RO plant shall be the responsibility of the service provider.	The service provider should be able to move the dialysis machine to the ICU within the AIIMS premises when needed. Alternatively one of the machines may be permanently stationed in the ICU. Electricity & water supply will be the responsibility of AIIMS Patna and no additional charges shall be applied on the service provider for the same. RO plant shall be the responsibility of the service provider.
Page No.10 Clause 11 Point 1	Development of infrastructure for the dialysis center includes; Any Civil Work; which includes, Demolition of	Development of infrastructure for the dialysis center includes: Any Civil Work which includes minor changes to the



अखिल भारतीय आयुर्विज्ञान संस्थान पटना
ALL INDIA INSTITUTE OF MEDICAL SCIENCES PATNA



	existing walls or construction, Painting, Carpentry which includes, Furniture's, which may be necessary for the dialysis centre, Plumbing, Electrical Connections, Electrical Fixtures, Air Conditioning of the Treatment Rooms, Flooring etc.	construction, Painting, Carpentry which includes, Furniture's, which may be necessary for the dialysis centre, Plumbing, Electrical Connections, Electrical Fixtures, Air Conditioning of the Treatment Rooms, Flooring etc.		
Page No. 20 Technical specification of Hemodialysis machine Point 1.8	HEMODIAFILTRATION	(Delete)		
Page No. 29 Section A Point 3	For other patients the dialyzer will be used maximum five (5) times or two (2) weeks, whichever is earlier with disinfection with paracetic acetic acid (Renalin)	For other patients the dialyzer will be used maximum ten (10) times or two (2) weeks, whichever is earlier with disinfection with paracetic acetic acid (Renalin)		
Page No. 29 Section A Point 4	Presence of Doctors/Nurses/Technician, in each shift	Presence of Doctors and Nurses (provided by AIIMS) and Technician (provided by the service provider) in each shift		
Page No. 30 Section B Clause 2	Clause Absence of Doctors/Nurses/Hospital Attendant/Technician/Sweeper in each shift	Penalty Rs. 1000 per day/shift — Doctor Rs. 500 per day/shift - Nurses, Hospital	Clause Absence of Technician in each shift	Penalty Rs. 800 per day/shift.

sd/
Faculty In-charge
Procurement Cell
AIIMS, Patna